

LOCINOX[®]

Let's make it better together


THE NEW **EIGHTYLOCK**




INSERT LOCK WITH 60 MM BACKSET
FOR PROFILES OF 80 MM OR MORE

EASY AND FAST INSTALLATION

WITH THE NEW AND IMPROVED **CLICK-IT SYSTEM**



HOW TO PREPARE THE PROFILE



COMPATIBLE PRODUCTS



SPECIFICATIONS

- ✓ Stainless steel lock mechanism with cover plate against dirt penetration
- ✓ Mechanism, hook, frontplate, latchbolt: stainless steel
- ✓ Backset 60 mm, for mounting in profiles of 80 mm of depth or more
- ✓ Continuous adjustment of the daybolt up to 10 mm without dismounting the lock box
- ✓ Key-operated self-latching bolt
- ✓ Easy left or right changing of the self-latching daybolt
- ✓ Throw of the hook: 21 mm
- ✓ Center-distance cylinder <=> handles = 92 mm
- ✓ Compatible with Europrofile cylinder
- ✓ Handles to be ordered separately
- ✓ Perfect for wooden gates



LOCINOX

LOCINOX USA



www.locinox.com HQ: +32 56 77 27 66 help@locinox.com www.locinox.com/eightylock
CEE: +48 71 758 21 00



www.locinoxusa.com 877- LOCINOX helpusa@locinox.com www.locinoxusa.com/eightylock

LOCINOX[®]

Let's make it better together


THE NEW **EIGHTYLOCK**




INSERT LOCK WITH 60 MM BACKSET
FOR PROFILES OF 80 MM OR MORE

EASY AND FAST INSTALLATION

WITH THE NEW AND IMPROVED **CLICK-IT SYSTEM**



HOW TO PREPARE THE PROFILE



COMPATIBLE PRODUCTS



SPECIFICATIONS

- ✓ Stainless steel lock mechanism with cover plate against dirt penetration
- ✓ Mechanism, hook, frontplate, latchbolt: stainless steel
- ✓ Backset 60 mm, for mounting in profiles of 80 mm of depth or more
- ✓ Continuous adjustment of the daybolt up to 10 mm without dismounting the lock box
- ✓ Key-operated self-latching bolt
- ✓ Easy left or right changing of the self-latching daybolt
- ✓ Throw of the hook: 21 mm
- ✓ Center-distance cylinder <=> handles = 92 mm
- ✓ Compatible with Europrofile cylinder
- ✓ Handles to be ordered separately
- ✓ Perfect for wooden gates



LOCINOX

LOCINOX USA



www.locinox.com HQ: +32 56 77 27 66 help@locinox.com www.locinox.com/eightylock CEE: +48 71 758 21 00

www.locinoxusa.com 877- LOCINOX helpusa@locinox.com www.locinoxusa.com/eightylock